



Integral Sound Mitigating Underlayment

A pre-attached underlayment that minimizes both reflected and transmitted sound is shock-absorbing, provides warmth and comfort underfoot and helps further conceal subfloor imperfections

High-Resolution Printed Decorative Film

High-resolution printed film delivers the beauty and realism of natural wood, stone, masonry and leather with vivid clarity



The HERF **ISOCORE (Planks)** combines simple drop-and-lock installation featuring innovative **ISOCORE**TechnologyTM - a waterproof, strong, and stable core that offers outstanding performance, durability and longevity. Tiles even have a sound-mitigating underlayment to help minimize sound travel.



Easy drop-and-lock installation

Innovative DropLock 100 end joints lock together easily. Quickly transform your room in 3 simple steps.



Floating Floor

Installs over most existing surfaces including concrete, wood and vinyl with no special tools, glue or underlayment needed.



100% Waterproof

Perfect for active families. Protects against warping and expansion / contraction.



Ultra-Fresh Treatment

Inhibits the growth of oduor and stain causing mold and mildew on the attached underlayment and the top surface of the flooring.

Tested under ASTM test method G21, Ultra-Fresh is a registered trademark of Thomson Research Associates Inc.



Sound-Mitigating Underlayment

Pre-attached underlayment provides a floor that's warm, comfortable, and quiet underfoot.



Durable

A ceramic bead overlay with clear wear layer protects the floor from scratches, scuffs and stains.



Below/on/above grade

Can be installed almost anywhere in your home or business including kitchens, bathrooms and basements.



Easy to clean and maintain

Just vacuum or dust mop, no need to wax, polish or refinish.

HERF TECHNICAL SPECIFICATIONS

HERF ISOCORE is available in larger plank and tile formats, making it much easier and quicker to lay. Sizes available are:

PLANK SERIES		
HERF ISOCORE WIDTH	1210mm	
HERF ISOCORE LENGTH	190mm	
Quantity / Case	8 Planks	
HERF ISOCORE THICKNESS	<7.5mm	
Coverage Area (sq. ft./case)	19.8 square feet	
Weight / Case	13.3 kg	

47.6" / 1210mm	
	7.5"/ 190mm


















HERF ISOCORE is available in larger plank and tile formats, making it much easier and quicker to lay.

TESTS	PLANK SERIES 190mm x 1210mm
EN13501-1: 2007 Fire Classification	B _{f1} -s1
EN717-1 Pentachlorophenol Formaldehyde	E1
EN 13893 Slip Resistance Testing	R9
EN ISO 10582 Classification of Usage	Class 32
EN ISO 10140 Impact Sound Insulation Walking Noise	19dB
VOC Emissions Testing/ Classification based on Belgian Standard, DiBT Emission Testing and French VOC Testing Standards	Pass
Heavy Metal Test for REACH SVHC	Pass











Deutsches Institut für Bautechnik












Torino Oak Bruno 1127816

Easy Drop and Lock Installation



HERF ISOCORE Plank Series (upgraded version) is a high-performing product that caters to your daily lifestyle as well as addressing your health concerns. It has lesser joints for a sleeker look and is made wider to help elongate the area. This way, it gives your home the illusion of a broader space.

Dimensions:

<u>HERF ISOCORE - Plank Series</u> marks a whole new level of authenticity in wood grain design.

HERF ISOCORE - Plank Series address the demand for larger plank and print widths, while our new in-register embossing textures really capture the intricate figuring and grain of reclaimed or repurposed wood.











EVORICH R&D Production · Experience Exhibit

16 Tampines Street 92 Singapore 528873 (Behind Tampines SAFRA)



Floors • Decks • Walls • Ceilings

1 Tampines North Drive 1, #02-38 T-Space EVORICH Block, Singapore 528559 (In between IKEA, Giant & Courts)



27 Kim Chuan Terrace Singapore 537045









Represented Singapore in ASEAN-Japan Young Entrepreneurs Forum

























